



IDENTIFICATION OF ANALYZED SAMPLE
Number R14-12346 / R14100358

Directive for analysis: 57-88 od 02.10.2014

Sample number	R14100358
Sample name	<i>MERCANTILE SOY "AGROOMEGA D.O.O." (sampled on the plot Number 5694/2, 24.09.2014. year)</i>
STATEMENT OF CONFORMITY PHYSICAL-CHEMICAL TESTING HARMFUL SUBSTANCES: Based on the results of the parameters analyzed sample is in compliance with Regulation (EC) No 396/2005 of the European Parliament and of the Council on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC and Annexes I, II, III, IV and VII. and Anex GMP+BA1, Commission Regulation (EU) No 1275/2013 of 6 december 2013 ,No 744/2012 of august 2012, No 574/2011 of 16 june 2011.	

MS Aleksandra Bauer
Director

M.P.
09.10.2014

MS Milica Rankov Šicar
Manager

Sent to

1. Applicant
2. Archive

Statement:

1. Results of the analysis are referred only to the examined sample.
2. This report must not be multiplied, except on the whole, with approval of the SP LABORATORY.

CERTIFICATE OF ANALYSIS R14-12346
Sample number: R14100358

Applicant	PRIVREDNO DRUŠTVO ZA EKONOMSKE, FINANSIJSKE, INFORMATIČKE I TRGOVINSKO-PROIZVODNE USLUGE BANKOM DRUŠTVO SA OGRANIČENOM ODGOVORNOŠĆU BEOGRAD, BULEVAR NIKOLE TESLE 30A
Directive for analysis	57-88 od 02.10.2014
Sample name	MERCANTILE SOY "AGROOMEGA D.O.O." (sampled on the plot Number 5694/2, 24.09.2014. year)
Asked analysis	Analysis by client's request
Sampling data	Sample was delivered 02.10.2014
Sample receiving date	02.10.2014
Start testing date	02.10.2014
End testing date	09.10.2014
Report number	R14-12346

MS Aleksandra Bauer
Director

M.P.
09.10.2014

MS Milica Rankov Šicar
Manager

Sent to

1. Applicant
2. Archive

Statement:

1. Results of the analysis are referred only to the examined sample.
2. This report must not be multiplied, except on the whole, with approval of the SP LABORATORY.

R14100358 MERCANTILE SOY "AGROOMEGA D.O.O." (sampled on the plot Number 5694/2, 24.09.2014. year)

Identification

The net delivered to the sample: 1,300 kg

Rezultati mikrobioloških ispitivanja

Analysis	Result	Methods	
Salmonella spp [25g]	Negative	SRPS EN ISO 6579	Detection
Molds and yeasts [CFU/g]	< 10	SRPS ISO 21527-2	Detection and counting

Results of physical-chemical testing harmful substances

Analysis	Result	Methods	
1-Naphthylacetamide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
2,4-D [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Abamectin [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Acephate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Acequinocyl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Acetamiprid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Acetochlor [mg/kg]	< 0,01	BS EN 15662	GC/MS
Acibenzolar-S-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Aclonifen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Acrinathrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Alachlor [mg/kg]	< 0,01	BS EN 15662	GC/MS
Aldicarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Aldicarb-sulfon [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Aldicarb-sulfoksid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Aldrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dieldrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Amidosulfuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Amitraz [mg/kg]	< 0,01	BS EN 15662	GC/MS
Aramite I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Aramite II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Asulam [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Atrazine [mg/kg]	< 0,01	BS EN 15662	GC/MS
Azadirachtin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Azinphos-ethyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Azinphos-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Azoxystrobin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Barban [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Beflubutamid [mg/kg]	< 0,01	BS EN 15662	GC/MS
Benalaxyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Benfluralin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Benfuracarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Bentazone [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Benthiavalicarb-isopropyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bifenox [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bifenthrin [mg/kg]	< 0,01	BS EN 15662	GC/MS

Analysis	Result	Methods	
Binapacryl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bitertanol I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bitertanol II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Boscalid (Nicofen) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bromophos-ethyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bromopropylate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bromoxynil [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Bromoxynil octanoic acid ester [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bromuconazole I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bromuconazole II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bupirimate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Buprofezin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Butralin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Butylate [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Captafol [mg/kg]	< 0,01	BS EN 15662	GC/MS
Captan [mg/kg]	< 0,01	BS EN 15662	GC/MS
Carbaryl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Carbendazim [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Benomyl (expressed as Carbendazime) [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Carbetamide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Carbofuran [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
3-Hydroxycarbofuran [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Carbosulfan [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Carboxin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Carfentrazone-ethyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorbenside [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorbufam [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Chlordane cis [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlordane trans [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlordecone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorfenapyr [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorfenson [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorfenvinphos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chloridazon [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorobenzilate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorothalonil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorotoluron [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chloroxuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Chlorpropham [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorpyrifos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorpyrifos-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorthal-dimethyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorthiamid [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlozolate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cinidon-ethyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Clofentezine [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Clomazone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Clothianidin [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS

Analysis	Result	Methods	
Cyazofamid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Cycloate [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Cyflufenamid [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyfluthrin I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyfluthrin II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyfluthrin III [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyfluthrin IV [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyhalofop-butyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cymoxanil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cypermethrin I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cypermethrin II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cypermethrin III [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cypermethrin IV [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyproconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyprodinil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyromazine [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dazomet [mg/kg]	< 0,01	BS EN 15662	GC/MS
p,p-DDD [mg/kg]	< 0,01	BS EN 15662	GC/MS
p,p-DDE [mg/kg]	< 0,01	BS EN 15662	GC/MS
p,p-DDT [mg/kg]	< 0,01	BS EN 15662	GC/MS
o,p-DDT [mg/kg]	< 0,01	BS EN 15662	GC/MS
Deltamethrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Desmedipham [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Diallate I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Diallate II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Diazinon [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dicamba [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Dichlobenil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dichlorprop [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Dichlorvos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Diclofop methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dichlofluanid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Dicloran [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dicofol [mg/kg]	< 0,01	BS EN 15662	GC/MS
Diethofencarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Difenoconazol I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Difenoconazol II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Diflubenzuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Diflufenican [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dimethachlor [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dimethenamid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Dimethipin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dimethoate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dimethomorph (E) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dimethomorph (Z) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dimoxystrobin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Diniconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dinocap I [mg/kg]	< 0,01	BS EN 15662	GC/MS

Analysis	Result	Methods	
Dinocap II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dinocap III [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dinocap IV [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dinoseb [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dioxathion [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Diphenylamine [mg/kg]	< 0,01	BS EN 15662	GC/MS
Disulfoton [mg/kg]	< 0,01	BS EN 15662	GC/MS
Disulfoton sulfone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dithianon [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Dithiocarbamates (expressed as CS ₂ , including Ziram, Thiram, Maneb, Mancozeb, Propineb, Metiram) [mg/kg]	< 0,05	SRPS EN 12396-2	GC/ECD/HSS
Diuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
DNOC [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Endosulfan I (alpha) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Endosulfan II (beta) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Endosulfan sulfate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Endrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Epoxiconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
EPTC [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Esfenvalerate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Ethalfuralin [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Ethion [mg/kg]	< 0,01	BS EN 15662	GC/MS
Ethofumesate [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Ethoprophos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Ethoxyquin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Ethofenprox [mg/kg]	< 0,01	BS EN 15662	GC/MS
Etoxazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Etridiazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Famoxadone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenamidone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenamiphos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenarimol [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenazaquin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenbuconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenclorphos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenhexamid [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenitrothion [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenoxaprop-p-ethyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenoxycarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Fenpropathrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenpropidin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenpropimorph [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenpyroximate [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Fentin acetate [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Fentin hydroxide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Fenthion [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenthion sulfoxide [mg/kg]	< 0,01	BS EN 15662	GC/MS

Analysis	Result	Methods	
Fenvalerate I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenvalerate II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fipronil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flzasulfuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Flonicamid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Florasulam [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Fluazifop-P-butyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fluazinam [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flucycloxuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Flucythrinate I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flucythrinate II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fludioxonil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flufenacet [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flufenoxuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Flumioxazin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fluometuron [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fluopicolide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Flurochloridone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fluoxastrobin [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Fluquinconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fluroxypyr 1-methylheptyl ester [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flurprimidol [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flurtamone [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Flusilazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flutolanil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flutriafol [mg/kg]	< 0,01	BS EN 15662	GC/MS
Folpet [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fomesafen [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Formetanat [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Formothion [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fosthiazate I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fosthiazate II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fuberidazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Furathiocarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Haloxyfop [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Heptachlor [mg/kg]	< 0,01	BS EN 15662	GC/MS
Heptachlor epoxide-cis [mg/kg]	< 0,01	BS EN 15662	GC/MS
Alpha-HCH [mg/kg]	< 0,01	BS EN 15662	GC/MS
Beta-HCH [mg/kg]	< 0,01	BS EN 15662	GC/MS
Delta-HCH [mg/kg]	< 0,01	BS EN 15662	GC/MS
Hexachlorobenzene (HCB) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Hexaconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Hexythiazox [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Imazalil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Imidacloprid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Imazethapyr [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Indoxacarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Ioxynil [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS

Analysis	Result	Methods	
Ipconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Iprodione [mg/kg]	< 0,01	BS EN 15662	GC/MS
Iprovalicarb (Iprovalicarb I i Iprovalicarb II) [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Isoproturon [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Isoxaben [mg/kg]	< 0,01	BS EN 15662	GC/MS
Isoxaflutole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Kresoxim-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Lactofen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyhalothrin cis+Cyhalothrin trans (Lambda-Cyhalothrin) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Lenacil [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Lindane [mg/kg]	< 0,01	BS EN 15662	GC/MS
Linuron [mg/kg]	< 0,01	BS EN 15662	GC/MS
Lufenuron (Flufenuron) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Malathion [mg/kg]	< 0,01	BS EN 15662	GC/MS
Malaoxon [mg/kg]	< 0,01	BS EN 15662	GC/MS
MCPA methyl ester [mg/kg]	< 0,01	BS EN 15662	GC/MS
MCPA-butoxyethyl ester [mg/kg]	< 0,01	BS EN 15662	GC/MS
MCPB methyl ester [mg/kg]	< 0,01	BS EN 15662	GC/MS
Mecarbam [mg/kg]	< 0,01	BS EN 15662	GC/MS
Mecoprop (MCP) [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Mepanipyrim [mg/kg]	< 0,01	BS EN 15662	GC/MS
Mepronil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Meptyldinocap [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Metalaxyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Metamitron [mg/kg]	< 0,01	BS EN 15662	GC/MS
Metazachlor [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Metconazole I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Metconazole II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methabenzthiazuron [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methacrifos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methamidophos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methidathion [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methiocarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Methiocarb sulfone [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Methiocarb sulfoxide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Metolachlor [mg/kg]	< 0,01	BS EN 15662	GC/MS
Metoxuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Methomyl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Methoprene I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methoprene II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methoxychlor [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methoxyfenozide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Metrafenone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Metribuzin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Metsulfuron-methyl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
cis-Mevinphos [mg/kg]	< 0,01	BS EN 15662	GC/MS
trans-Mevinphos [mg/kg]	< 0,01	BS EN 15662	GC/MS

Analysis	Result	Methods	
Molinate [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Monocrotophos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Monolinuron [mg/kg]	< 0,01	BS EN 15662	GC/MS
Monuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Myclobutanil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Napropamide [mg/kg]	< 0,01	BS EN 15662	GC/MS
Nicosulfuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Nitrofen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Novaluron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Oryzalin [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Oxadiazon [mg/kg]	< 0,01	BS EN 15662	GC/MS
Oxadixyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Oxamyl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Oxycarboxin [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Oxydemeton-methyl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Oxyfluorfen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Paclobutrazol [mg/kg]	< 0,01	BS EN 15662	GC/MS
Parathion [mg/kg]	< 0,01	BS EN 15662	GC/MS
Parathion-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Penconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pencycuron [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pendimethalin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Permethrin cis [mg/kg]	< 0,01	BS EN 15662	GC/MS
Permethrin trans [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phenmedipham [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Phenotrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phenthoate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phorate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phosalone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phosmet [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phosphamidon I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phosphamidon II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phoxim [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Picolinafen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Picoxystrobin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pirimicarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Pirimiphos-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Prochloraz [mg/kg]	< 0,01	BS EN 15662	GC/MS
Procymidone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Profenofos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Profoxydim [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Propachlor [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Propamocarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Propanil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Propargite [mg/kg]	< 0,01	BS EN 15662	GC/MS
Propham [mg/kg]	< 0,01	BS EN 15662	GC/MS
Propiconazole I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Propiconazole II [mg/kg]	< 0,01	BS EN 15662	GC/MS

Analysis	Result	Methods	
Propisochlor [mg/kg]	< 0,01	BS EN 15662	GC/MS
Propoxur [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Propoxycarbazono [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Propyzamide [mg/kg]	< 0,01	BS EN 15662	GC/MS
Proquinazid [mg/kg]	< 0,01	BS EN 15662	GC/MS
Prosulfocarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Prosulfuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Pymetrozin [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Pyraclostrobin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pyraflufen-ethyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pyrazophos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pyrethrins [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pyridaben [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pyridate [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Pyrimethanil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pyriproxyfen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Quinalphos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Quinmerac [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Quinoxifen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Quintozene [mg/kg]	< 0,01	BS EN 15662 ¹⁾	GC/MS
Resmethrin I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Resmethrin II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Rimsulfuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Rotenone [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Simazine [mg/kg]	< 0,01	BS EN 15662	GC/MS
Spinosad [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Spirodiclofen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Spiromesifen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Spiroxamine I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Spiroxamine II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Sulcotrione [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Sulfur (S8) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tau-Fluvalinate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tebuconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tebufenozide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Tebufenpyrad [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tecnazene [mg/kg]	< 0,01	BS EN 15662 ¹⁾	GC/MS
Teflubenzuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Tefluthrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
TEPP [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tepraloxymid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Terbacil [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Terbufos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Terbutylazine [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tetraconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tetradifon [mg/kg]	< 0,01	BS EN 15662	GC/MS
Thiabendazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Thiacloprid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS

Analysis	Result	Methods	
Thiametoxam [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Clothianidin, expressed as Thiametoxam [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Thifensulfuron-methyl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Thiobencarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Thiophanat-methyl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Tolclofos-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tolyfluanid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Triadimefon [mg/kg]	< 0,01	BS EN 15662 ¹⁾	GC/MS
Triadimenol [mg/kg]	< 0,01	BS EN 15662	GC/MS
Triallate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Triasulfuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Triazophos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tribenuron-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Trichlorfon [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tridemorph [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Trifloxystrobin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Triflumizole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Triflumuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Trifluralin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Triforin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Triticonazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Vinclozolin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Zoxamide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS

¹⁾Outside the scope of accreditation

Note

Screening of pesticide residues was performed on the GC/MS (gas chromatograph with mass detector) using RTL PEST-3 library.

Quantification of the active components of pesticides was performed on the GC/ECD/HSS (gas chromatograph with electron capture detector and head-space injection technique), GC/MS (gas chromatograph with mass detector) and LC/MS/MS (liquid chromatograph with mass-mass detector).

Source of reference values: Regulation (EC) No 396/2005 of the European Parliament and of the Council on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC and Annexes I, II, III, IV and VII.

Results of physical-chemical testing harmful substances

Analysis	Result	Reference data	Methods	
As, calculated at 12% moisture [mg/kg]	0,031	max 2	VM/MET 868	ICP/MS
Cd, calculated at 12% moisture [mg/kg]	0,026	max 1	VM/MET 868	ICP/MS
Hg, calculated at 12% moisture [mg/kg]	0,027	max 0,1	VM/MET 868	ICP/MS
Pb, calculated at 12% moisture [mg/kg]	0,029	max 10	VM/MET 868	ICP/MS

(R14-12346 / R14100358) page 10 / 11

Analysis	Result	Reference data	Methods	
Aflatoxin (B1), calculated at 12% moisture [mg/kg]	< 0,0003	max 0,02	VM/MET 913	HPLC

Note

Source of reference values: Anex GMP+BA1, Commission Regulation (EU) No 1275/2013 of 6 december 2013 ,No 744/2012 of august 2012, No 574/2011 of 16 june 2011.

MS Ivana Filipović
Manager

MS Predrag Vulićević
Manager



IDENTIFICATION OF ANALYZED SAMPLE
Number R14-12346 / R14100359

Directive for analysis: 57-88 od 02.10.2014

Sample number	R14100359
Sample name	MERCANTILE SOY "PIK PLUS D.O.O." (sampled on the plot Number 1102/4, 01.10.2014)
STATEMENT OF CONFORMITY PHYSICAL-CHEMICAL TESTING HARMFUL SUBSTANCES: Based on the results of the parameters analyzed sample is in compliance with Regulation (EC) No 396/2005 of the European Parliament and of the Council on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC and Annexes I, II, III, IV and VII. and Anex GMP+BA1, Commission Regulation (EU) No 1275/2013 of 6 december 2013 ,No 744/2012 of august 2012, No 574/2011 of 16 june 2011.	

MS Aleksandra Bauer
Director

M.P.
09.10.2014

MS Milica Rankov Šicar
Manager

Sent to

1. Applicant
2. Archive

Statement:

1. Results of the analysis are referred only to the examined sample.
2. This report must not be multiplied, except on the whole, with approval of the SP LABORATORY.

CERTIFICATE OF ANALYSIS R14-12346
Sample number: R14100359

Applicant	PRIVREDNO DRUŠTVO ZA EKONOMSKE, FINANSIJSKE, INFORMATIČKE I TRGOVINSKO-PROIZVODNE USLUGE BANKOM DRUŠTVO SA OGRANIČENOM ODGOVORNOŠĆU BEOGRAD, BULEVAR NIKOLE TESLE 30A
Directive for analysis	57-88 od 02.10.2014
Sample name	MERCANTILE SOY "PIK PLUS D.O.O." (sampled on the plot Number 1102/4, 01.10.2014)
Asked analysis	Analysis by client's request
Sampling data	Sample was delivered 02.10.2014
Sample receiving date	02.10.2014
Start testing date	02.10.2014
End testing date	09.10.2014
Report number	R14-12346

MS Aleksandra Bauer
Director

M.P.
09.10.2014

MS Milica Rankov Šicar
Manager

Sent to

1. Applicant
2. Archive

Statement:

1. Results of the analysis are referred only to the examined sample.
2. This report must not be multiplied, except on the whole, with approval of the SP LABORATORY.

R14100359 MERCANTILE SOY "PIK PLUS D.O.O." (sampled on the plot Number 1102/4, 01.10.2014)

Identification

The net delivered to the sample: 1 kg

Rezultati mikrobioloških ispitivanja

Analysis	Result	Methods	
Salmonella spp [25g]	Negative	SRPS EN ISO 6579	Detection
Molds and yeasts [CFU/g]	200	SRPS ISO 21527-2	Detection and counting

Results of physical-chemical testing harmful substances

Analysis	Result	Methods	
1-Naphthylacetamide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
2,4-D [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Abamectin [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Acephate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Acequinocyl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Acetamiprid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Acetochlor [mg/kg]	< 0,01	BS EN 15662	GC/MS
Acibenzolar-S-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Aclonifen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Acrinathrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Alachlor [mg/kg]	< 0,01	BS EN 15662	GC/MS
Aldicarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Aldicarb-sulfon [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Aldicarb-sulfoksid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Aldrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dieldrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Amidosulfuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Amitraz [mg/kg]	< 0,01	BS EN 15662	GC/MS
Aramite I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Aramite II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Asulam [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Atrazine [mg/kg]	< 0,01	BS EN 15662	GC/MS
Azadirachtin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Azinphos-ethyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Azinphos-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Azoxystrobin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Barban [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Beflubutamid [mg/kg]	< 0,01	BS EN 15662	GC/MS
Benalaxyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Benfluralin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Benfuracarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Bentazone [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Benthiavalicarb-isopropyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bifenox [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bifenthrin [mg/kg]	< 0,01	BS EN 15662	GC/MS

Analysis	Result	Methods	
Binapacryl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bitertanol I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bitertanol II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Boscalid (Nicofen) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bromophos-ethyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bromopropylate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bromoxynil [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Bromoxynil octanoic acid ester [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bromuconazole I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bromuconazole II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Bupirimate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Buprofezin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Butralin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Butylate [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Captafol [mg/kg]	< 0,01	BS EN 15662	GC/MS
Captan [mg/kg]	< 0,01	BS EN 15662	GC/MS
Carbaryl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Carbendazim [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Benomyl (expressed as Carbendazime) [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Carbetamide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Carbofuran [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
3-Hydroxycarbofuran [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Carbosulfan [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Carboxin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Carfentrazone-ethyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorbenside [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorbufam [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Chlordane cis [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlordane trans [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlordecone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorfenapyr [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorfenson [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorfenvinphos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chloridazon [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorobenzilate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorothalonil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorotoluron [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chloroxuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Chlorpropham [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorpyrifos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorpyrifos-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorthal-dimethyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlorthiamid [mg/kg]	< 0,01	BS EN 15662	GC/MS
Chlozolinate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cinidon-ethyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Clofentezine [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Clomazone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Clothianidin [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS

Analysis	Result	Methods	
Cyazofamid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Cycloate [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Cyflufenamid [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyfluthrin I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyfluthrin II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyfluthrin III [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyfluthrin IV [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyhalofop-butyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cymoxanil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cypermethrin I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cypermethrin II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cypermethrin III [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cypermethrin IV [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyproconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyprodinil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyromazine [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dazomet [mg/kg]	< 0,01	BS EN 15662	GC/MS
p,p-DDD [mg/kg]	< 0,01	BS EN 15662	GC/MS
p,p-DDE [mg/kg]	< 0,01	BS EN 15662	GC/MS
p,p-DDT [mg/kg]	< 0,01	BS EN 15662	GC/MS
o,p-DDT [mg/kg]	< 0,01	BS EN 15662	GC/MS
Deltamethrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Desmedipham [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Diallate I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Diallate II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Diazinon [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dicamba [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Dichlobenil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dichlorprop [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Dichlorvos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Diclofop methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dichlofluamid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Dicloran [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dicofol [mg/kg]	< 0,01	BS EN 15662	GC/MS
Diethofencarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Difenoconazol I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Difenoconazol II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Diflubenzuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Diflufenican [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dimethachlor [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dimethenamid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Dimethipin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dimethoate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dimethomorph (E) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dimethomorph (Z) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dimoxystrobin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Diniconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dinocap I [mg/kg]	< 0,01	BS EN 15662	GC/MS

Analysis	Result	Methods	
Dinocap II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dinocap III [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dinocap IV [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dinoseb [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dioxathion [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Diphenylamine [mg/kg]	< 0,01	BS EN 15662	GC/MS
Disulfoton [mg/kg]	< 0,01	BS EN 15662	GC/MS
Disulfoton sulfone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Dithianon [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Dithiocarbamates (expressed as CS ₂ , including Ziram, Thiram, Maneb, Mancozeb, Propineb, Metiram) [mg/kg]	< 0,05	SRPS EN 12396-2	GC/ECD/HSS
Diuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
DNOC [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Endosulfan I (alpha) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Endosulfan II (beta) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Endosulfan sulfate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Endrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Epoxiconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
EPTC [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Esfenvalerate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Ethalfuralin [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Ethion [mg/kg]	< 0,01	BS EN 15662	GC/MS
Ethofumesate [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Ethoprophos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Ethoxyquin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Ethofenprox [mg/kg]	< 0,01	BS EN 15662	GC/MS
Etoxazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Etridiazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Famoxadone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenamidone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenamiphos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenarimol [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenazaquin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenbuconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenclorophos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenhexamid [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenitrothion [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenoxaprop-p-ethyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenoxycarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Fenpropathrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenpropidin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenpropimorph [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenpyroximate [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Fentin acetate [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Fentin hydroxide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Fenthion [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenthion sulfoxide [mg/kg]	< 0,01	BS EN 15662	GC/MS

Analysis	Result	Methods	
Fenvalerate I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fenvalerate II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fipronil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flazasulfuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Flonicamid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Florasulam [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Fluazifop-P-butyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fluazinam [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flucycloxuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Flucythrinate I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flucythrinate II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fludioxonil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flufenacet [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flufenoxuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Flumioxazin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fluometuron [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fluopicolide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Flurochloridone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fluoxastrobin [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Fluquinconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fluroxypyr 1-methylheptyl ester [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flurprimidol [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flurtamone [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Flusilazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flutolanil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Flutriafol [mg/kg]	< 0,01	BS EN 15662	GC/MS
Folpet [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fomesafen [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Formetanat [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Formothion [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fosthiazate I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fosthiazate II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Fuberidazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Furathiocarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Haloxypyr [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Heptachlor [mg/kg]	< 0,01	BS EN 15662	GC/MS
Heptachlor epoxide-cis [mg/kg]	< 0,01	BS EN 15662	GC/MS
Alpha-HCH [mg/kg]	< 0,01	BS EN 15662	GC/MS
Beta-HCH [mg/kg]	< 0,01	BS EN 15662	GC/MS
Delta-HCH [mg/kg]	< 0,01	BS EN 15662	GC/MS
Hexachlorobenzene (HCB) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Hexaconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Hexythiazox [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Imazalil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Imidacloprid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Imazethapyr [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Indoxacarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Ioxynil [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS

Analysis	Result	Methods	
Ipconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Iprodione [mg/kg]	< 0,01	BS EN 15662	GC/MS
Iprovalicarb (Iprovalicarb I i Iprovalicarb II) [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Isoproturon [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Isoxaben [mg/kg]	< 0,01	BS EN 15662	GC/MS
Isoxaflutole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Kresoxim-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Lactofen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Cyhalothrin cis+Cyhalothrin trans (Lambda-Cyhalothrin) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Lenacil [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Lindane [mg/kg]	< 0,01	BS EN 15662	GC/MS
Linuron [mg/kg]	< 0,01	BS EN 15662	GC/MS
Lufenuron (Flufenuron) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Malathion [mg/kg]	< 0,01	BS EN 15662	GC/MS
Malaoxon [mg/kg]	< 0,01	BS EN 15662	GC/MS
MCPA methyl ester [mg/kg]	< 0,01	BS EN 15662	GC/MS
MCPA-butoxyethyl ester [mg/kg]	< 0,01	BS EN 15662	GC/MS
MCPB methyl ester [mg/kg]	< 0,01	BS EN 15662	GC/MS
Mecarbam [mg/kg]	< 0,01	BS EN 15662	GC/MS
Mecoprop (MCP) [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Mepanipyrim [mg/kg]	< 0,01	BS EN 15662	GC/MS
Mepronil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Meptyldinocap [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Metalaxyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Metamitron [mg/kg]	< 0,01	BS EN 15662	GC/MS
Metazachlor [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Metconazole I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Metconazole II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methabenzthiazuron [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methacrifos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methamidophos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methidathion [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methiocarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Methiocarb sulfone [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Methiocarb sulfoxide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Metolachlor [mg/kg]	< 0,01	BS EN 15662	GC/MS
Metoxuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Methomyl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Methoprene I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methoprene II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methoxychlor [mg/kg]	< 0,01	BS EN 15662	GC/MS
Methoxyfenozide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Metrafenone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Metribuzin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Metsulfuron-methyl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
cis-Mevinphos [mg/kg]	< 0,01	BS EN 15662	GC/MS
trans-Mevinphos [mg/kg]	< 0,01	BS EN 15662	GC/MS

Analysis	Result	Methods	
Molinate [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Monocrotophos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Monolinuron [mg/kg]	< 0,01	BS EN 15662	GC/MS
Monuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Myclobutanil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Napropamide [mg/kg]	< 0,01	BS EN 15662	GC/MS
Nicosulfuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Nitrofen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Novaluron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Oryzalin [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Oxadiazon [mg/kg]	< 0,01	BS EN 15662	GC/MS
Oxadixyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Oxamyl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Oxycarboxin [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Oxydemeton-methyl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Oxyfluorfen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Paclobutrazol [mg/kg]	< 0,01	BS EN 15662	GC/MS
Parathion [mg/kg]	< 0,01	BS EN 15662	GC/MS
Parathion-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Penconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pencycuron [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pendimethalin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Permethrin cis [mg/kg]	< 0,01	BS EN 15662	GC/MS
Permethrin trans [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phenmedipham [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Phenotrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phenthoate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phorate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phosalone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phosmet [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phosphamidon I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phosphamidon II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Phoxim [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Picolinafen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Picoxystrobin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pirimicarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Pirimiphos-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Prochloraz [mg/kg]	< 0,01	BS EN 15662	GC/MS
Procymidone [mg/kg]	< 0,01	BS EN 15662	GC/MS
Profenofos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Profoxydim [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Propachlor [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Propamocarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Propanil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Propargite [mg/kg]	< 0,01	BS EN 15662	GC/MS
Propham [mg/kg]	< 0,01	BS EN 15662	GC/MS
Propiconazole I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Propiconazole II [mg/kg]	< 0,01	BS EN 15662	GC/MS

Analysis	Result	Methods	
Propisochlor [mg/kg]	< 0,01	BS EN 15662	GC/MS
Propoxur [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Propoxycarbazono [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Propyzamide [mg/kg]	< 0,01	BS EN 15662	GC/MS
Proquinazid [mg/kg]	< 0,01	BS EN 15662	GC/MS
Prosulfocarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Prosulfuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Pymetrozin [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Pyraclostrobin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pyraflufen-ethyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pyrazophos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pyrethrins [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pyridaben [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pyridate [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Pyrimethanil [mg/kg]	< 0,01	BS EN 15662	GC/MS
Pyriproxyfen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Quinalphos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Quinmerac [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Quinoxifen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Quintozene [mg/kg]	< 0,01	BS EN 15662 ¹⁾	GC/MS
Resmethrin I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Resmethrin II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Rimsulfuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Rotenone [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Simazine [mg/kg]	< 0,01	BS EN 15662	GC/MS
Spinosad [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Spirodiclofen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Spiromesifen [mg/kg]	< 0,01	BS EN 15662	GC/MS
Spiroxamine I [mg/kg]	< 0,01	BS EN 15662	GC/MS
Spiroxamine II [mg/kg]	< 0,01	BS EN 15662	GC/MS
Sulcotrione [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Sulfur (S8) [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tau-Fluvalinate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tebuconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tebufenozide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Tebufenpyrad [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tecnazene [mg/kg]	< 0,01	BS EN 15662 ¹⁾	GC/MS
Teflubenzuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Tefluthrin [mg/kg]	< 0,01	BS EN 15662	GC/MS
TEPP [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tepraloxymid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Terbacil [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Terbufos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Terbutylazine [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tetraconazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tetradifon [mg/kg]	< 0,01	BS EN 15662	GC/MS
Thiabendazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Thiacloprid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS

Analysis	Result	Methods	
Thiametoxam [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Clothianidin, expressed as Thiametoxam [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Thifensulfuron-methyl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Thiobencarb [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Thiophanat-methyl [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Tolclofos-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tolyfluanid [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Triadimefon [mg/kg]	< 0,01	BS EN 15662 ¹⁾	GC/MS
Triadimenol [mg/kg]	< 0,01	BS EN 15662	GC/MS
Triallate [mg/kg]	< 0,01	BS EN 15662	GC/MS
Triasulfuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Triazophos [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tribenuron-methyl [mg/kg]	< 0,01	BS EN 15662	GC/MS
Trichlorfon [mg/kg]	< 0,01	BS EN 15662	GC/MS
Tridemorph [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Trifloxystrobin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Triflumizole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Triflumuron [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS
Trifluralin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Triforin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Triticonazole [mg/kg]	< 0,01	BS EN 15662	GC/MS
Vinclozolin [mg/kg]	< 0,01	BS EN 15662	GC/MS
Zoxamide [mg/kg]	< 0,01	BS EN 15662	LC-MS/MS

¹⁾Outside the scope of accreditation

Note

Screening of pesticide residues was performed on the GC/MS (gas chromatograph with mass detector) using RTL PEST-3 library.

Quantification of the active components of pesticides was performed on the GC/ECD/HSS (gas chromatograph with electron capture detector and head-space injection technique), GC/MS (gas chromatograph with mass detector) and LC/MS/MS (liquid chromatograph with mass-mass detector).

Source of reference values: Regulation (EC) No 396/2005 of the European Parliament and of the Council on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC and Annexes I, II, III, IV and VII.

Results of physical-chemical testing harmful substances

Analysis	Result	Reference data	Methods	
As, calculated at 12% moisture [mg/kg]	0,032	max 2	VM/MET 868	ICP/MS
Cd, calculated at 12% moisture [mg/kg]	0,023	max 1	VM/MET 868	ICP/MS
Hg, calculated at 12% moisture [mg/kg]	0,028	max 0,1	VM/MET 868	ICP/MS
Pb, calculated at 12% moisture [mg/kg]	0,031	max 10	VM/MET 868	ICP/MS

(R14-12346 / R14100359) page 10 / 11

Analysis	Result	Reference data	Methods	
Aflatoxin (B1), calculated at 12% moisture [mg/kg]	< 0,0003	max 0,02	VM/MET 913	HPLC

Note

Source of reference values: Anex GMP+BA1, Commission Regulation (EU) No 1275/2013 of 6 december 2013 ,No 744/2012 of august 2012, No 574/2011 of 16 june 2011.

MS Ivana Filipović
Manager

MS Predrag Vulićević
Manager