

Expert Opinion

File No: **IU-J-2**
Date: **06/04/21**

Applicant: BANKOM D.O.O. Bulevar Nikole Tesle 30 a 11080 Zemun Bulevar Nikole Tesle 30 a 11080 Zemun

Documents reff.:

Data on sample Samples submitted 01/04/21

Sample and identification number:

IU-J-00002 Biopro 15 (Defatted moderately toasted soybean grits);

Type of testing: Food safety

IU-J-00002 Sensor analysis, Physico chemical analysis, Microbiological analysis, Residue /contaminant analysis: pesticides, heavy metals: Cd,Pb,As,Hg, Ochratoxin A and Aflatoxin, GMO, radioactivity

Date of receipt: 01/04/21

Date of start of lab. analysis: 01/04/21
Date of completion of lab. analysis: 06/04/21

On the basis of results of laboratory analysis and expert review it was determined that the above stated sample IU-J-00002 from the point of controlled parameters IS IN COMPLIANCE WITH the Product Specification, Regulation (EC) No 396/2005 on maximum residue levels of pesticides in or on food and feed of plant and animal origin (OJ L 70 16.03.2005. p1) and amendments (Consolidated version of Reg 396/2005), Commission regulation (EC) No 1881/2006 setting maximum levels for certain contaminants in foodstuffs (OJ L 364/5), Council Regulation (EC) No: 733/2018 of 15 July 2018 and 1048/2009 of 23.October 2009, Regulation (EC) No 1829/2003 on genetically modified food and feed (OJ L 268/1) and Commission regulation (EU) No 619/2011 laying down the methods of sampling and analysis for the official control of feed as regards presence of genetically modified material for which an authorisation procedure is pending or the authorisation of which has expired (OJ L 166/9).

NOTE: Determination of mercury, total arsenic and ochratoxin A content were performed upon client's request.



Head of laboratory

Milan Simic PhD, Hygiene Specialist

Report on laboratory analysis

File No: **IU-J-2**
Date: **06/04/21**

Data received from applicant:

Applicant: **BANKOM D.O.O.**
Bear Costs: **BANKOM D.O.O. Bulevar Nikole Tesle 30 a 11080 Zemun**
Documents ref.:

Data on sample: Samples submitted 01/04/21

Sample and identification number:

IU-J-00002 Biopro 15 (Defatted moderately toasted soybean grits);

Type of testing: Food safety

IU-J-00002	Sensor analysis, Physico chemical analysis, Microbiological analysis, Residue /contaminant analysis: pesticides, heavy metals: Cd,Pb,As,Hg, Ochratoxin A and Aflatoxin, GMO, radioactivity
------------	--

Date of receipt: 01/04/21

Date of start of lab. analysis: 01/04/21

Date of completion of lab. analysis: 06/04/21

Statements:

This Report refers only to the tested sample.

"Centar za ispitivanje namirnica d.o.o." has responsible over the data in this report, except for the data provided by the customer.

"Centar za ispitivanje namirnica d.o.o." has not responsible for the validity of the results, using the information provided by the customer.

When the "Centar za ispitivanje namirnica d.o.o." is not responsible for the sampling phase, the results are applied to the sample as received.

Measurement uncertainty associated with the result represents the extended measurement uncertainty expressed as a combined standard measurement uncertainty multiplied with the coverage factor $k = 2$, for a confidence level of 95%.

This report cannot be reproduced partially without the written approval by the "Centar za ispitivanje namirnica d.o.o."

No: **IU-J-2**
Date: **06/04/21**

Analysis results:

Sample: IU-J-00002 Biopro 15 (Defatted moderately toasted soybean grits)

Sample data: **

Sample: Biopro 15 (Defatted toasted soybean grits)
Food group: Protein products
Original packaging: /
Sample quantity: 3 kg
Best used until: 25.03.2023.
Series (LOT): 250321E5A13268
Manufacturer: "Bankom" d.o.o. 30a Bulevar Nikole Tesle st., Zemun, Serbia
Country of origin: Serbia
Sample properly submitted

Sensor analysis

The subject sample is a defatted toasted semolina from soybean under the commercial name " Biopro-15 ", obtained by a technological process from grains of genetically unmodified soybeans, by removing oil and non-protein substances. The product has a powdery texture pale yellow color, characteristic odor, pleasant slightly sweet taste.

Method: SBM-03-001

Declaration of Conformity:

The results of the tested parameters are in COMPLIANCE with the Rulebook on the quality of protein products and mixtures of protein products for the food industry ("Sl. list SFRJ" br. 41/85, "Sl. list SCG" br. 56/03 i 4/04 - dr. pravilnik)

Physico chemical analysis

Parameter:	Result:	(unit)	Ref. value:	Method:
Moisture content	7,35 ±0,37	%	max 8	Sl. List SRFJ br.41/85 metoda 1
Protein (in dry matter)	56,48 ±1,13	%	min 47	Sl. List SRFJ br.41/85 metoda 4
Total ash, on dry basis	6,45 ±0,32	%	max 6.5	Sl. List SRFJ br.41/85 metoda 3
Fat (in dry matter)	0,53 ±0,04	%	max 2	Sl. List SRFJ br.41/85 metoda 2
Cellulose (in dry matter)	2,88 ±0,14	%	max 3.5	Sl. List SRFJ br.41/85 metoda 6

Declaration of Conformity:

The results of the tested parameters are in COMPLIANCE with Article 26, item 1, Article 26, item 2 and Article 26 item 3, Article 26 item 4, Article 26 item 5 of the Rulebook on the quality of protein products and mixtures of protein products for the food industry ("Sl. list SFRJ" br. 41/85, "Sl. list SCG" br. 56/03 i 4/04 - dr. pravilnik). When measurement uncertainty is associated with the result, it represents the extended measurement uncertainty expressed as a combined standard measurement uncertainty multiplied with the coverage factor $k = 2$, for a confidence level of 95%.

Decision rule: When making the statements of conformity, the rule of shared risk is used (documented by Article 8 of the „Opšta pravila poslovanja laboratorije Centra za ispitivanje namirnica" edition 2, dated 14 February 2020)

Residue / contaminant analysis

Parameter:	Result:	(unit)	Ref. value/ML:	Method:
<i>Organophosphorus pesticides</i>				
-Cadusafos	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Chlorfenvinphos	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Chlorpyrifos	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Chlorpyrifos-Methyl	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Diazinon	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Dichlorvos	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Dimethoate	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Etrifos	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Fenitrothion	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Fenthion	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Malathion	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Methacrifos	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Parathion	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Parathion-Methyl	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Phosphamidon	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Pirimiphos-Methyl	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018
-Profenofos	< 0,01	mg/kg		GC-MSD, SRPS EN 15662:2018

The laboratory name "Centar za ispitivanje namirnica d.o.o." is prohibited, in the text of the declaration and for advertising purposes.

*) Non accredited activities. **) The data provided by customer.

Tag: **CIN-LAB-7.8/O-1** Edition 1 from January 3 2020.

No: **IU-J-2**
Date: 06/04/21

-Sulprofos	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
Carbamates			
-Carbaryl	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Methiocarb	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Methomyl	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Oxamyl	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Pirimicarb	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Propoxur	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
Triazines			
-Atrazine	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Cyanazine	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Prometon	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Propazine	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Simazine	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Terbuthylazine	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
Pyrethroids			
-Bifenthrin	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Fenvalerate (sum of isomers, including esfenvalerate)	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Permethrin (sum of isomers)	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-S-Bioallethrin	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
Organochlorine pesticides			
-Aldrin and Dieldrin (combined expressed as dieldrin)	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Chlordane (sum of cis- and trans-chlordane)	< 0,02	mg/kg	GC-MSD, SRPS EN 15662:2018
-DDT (sum of p,p'-DDT, o,p'-DDT, p,p'-DDE, p,p'-DDD)	< 0,03	mg/kg	GC-MSD, SRPS EN 15662:2018
-Endosulfan (alpha-, beta- isomers and endosulfan-sulphate)	< 0,03	mg/kg	GC-MSD, SRPS EN 15662:2018
-Endrin	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Heptachlor (sum of Heptachlor and Heptachlor epoxide)	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Hexachlorobenzene (HCB)	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Hexachlorocyclohexane (HCH), alpha-isomer	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Hexachlorocyclohexane (HCH), beta-isomer	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Lindane (gamma-isomer of hexachlorocyclohexane (HCH))	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
-Methoxychlor	< 0,01	mg/kg	GC-MSD, SRPS EN 15662:2018
Metals and metalloids			
Lead (Pb)	< 0,20	mg/kg	GFAAS, IHM-03-AAS 01
Cadmium (Cd)	< 0,10	mg/kg	GFAAS, IHM-03-AAS 01
Mercury (Hg)	< 0,05	mg/kg	CVAAS, IHM-03-AAS 01
Arsenic (As)	< 0,10	mg/kg	HGAAS, IHM-03-AAS 01
Mycotoxins			
Aflatoxin B1 and total (B1+B2+G1+G2)	< 4,0	µg/kg	IHM-03-ELISA 01a
Aflatoxin B1	< 2,0	µg/kg	IHM-03-ELISA 01b
Ochratoxin A	< 2	µg/kg	IHM-03-ELISA 10

Genetic analysis

Parameter:	Result:	(unit)	Ref. value/ML:	Methda:
Determination of the presence of GMOs				
CaMV 35S promoter	n.d. (< 0,1%)	%		SRPS EN ISO 21571:2009 i A1:2013; SRPS EN ISO 21569:2008 i A1:2014
A.tum NOS terminator	n.d. (< 0,1%)	%		SRPS EN ISO 21571:2009 i A1:2013; SRPS EN ISO 21569:2008 i A1:2014
FMV 34S promoter	n.d. (< 0,1%)	%		SRPS EN ISO 21571:2009 i A1:2013; SRPS EN ISO 21569:2008 i A1:2014
Content RoundUp Ready soybeans				
RoundUp Ready soybeans	n.d. (< 0,1%)	%		SRPS EN ISO 21571:2009 i A1:2013; SRPS EN ISO 21570:2009 i A1:2014

Declaration of Conformity:

Results of tested parameters ARE IN COMPLIANCE with the Rulebook on the maximum levels of residues of plant protection products in food and feed ("Sl. glasnik RS")

The laboratory name "Centar za ispitivanje namirnica d.o.o." is prohibited, in the text of the declaration and for advertising purposes.

*) Non accredited activities. **) The data provided by customer.

Tag: **CIN-LAB-7.8/O-1** Edition 1 from January 3 2020.

No: **IU-J-2**
Date: **06/04/21**

no. 132/20), the Rulebook on maximum levels of certain contaminants in food ("Sl. glasnik RS" no. 81/19 and 126/20) and the Law on genetically modified organisms ("Sl. glasnik RS" no. 41/09).

Applied decision rule:

The rule of shared risk (documented in article 8 of the General laboratory business rules of Centar za ispitivanje namirnica d.o.o., issue 2 of 14.02.2020)

NOTE: Determination of mercury, total arsenic and ochratoxin A content were performed upon client's request and the statement of conformity does not refer to it.

Microbiological analysis

Parameter:	1	2	3	4	5	MAV	Result:	Method:
Bacillus cereus (incubation temp.30°C) cfu/g	<10	<10	<10	<10	<10	c=0, M=50	Satisfactory	SRPS EN ISO 7932:2009
Enterobacteriaceae (incubation temperature 37°C) cfu/g	<10	<10	<10	<10	<10	c=2, m=10, M=100	Satisfactory	SRPS EN ISO 21528-2:2017
Escherichia coli cfu/g	<10	<10	<10	<10	<10	c=0, M=10	Satisfactory	SRPS ISO 16649-2:2008
Sulphite reducing clostridia (incubation temp. 37°C) cfu/g	<10	<10	<10	<10	<10	c=0, M=10	Satisfactory	SRPS ISO 15213:2011
Total plate count cfu/g	700	600	500	800	600	c=2, m=10000, M=100000	Satisfactory	SRPS EN ISO 4833-1:2014
Clostridium perfringens cfu/g	<10	<10	<10	<10	<10	c=0, m=10	Satisfactory	SRPS EN ISO 7937:2010
Listeria monocytogenes 25g	0	0	0	0	0	c=0, m=0, M=0	Satisfactory	SRPS EN ISO 11290-1:2017
Salmonella spp. 25g	0	0	0	0	0	c=0, m=0, M=0	Satisfactory	SRPS EN ISO 6579-1:2017
Coagulase-positive staphylococci (incubation temperature 37°C) cfu/g	<10	<10	<10	<10	<10	c=0, M=1	Satisfactory	SRPS EN ISO 6888-1:2009
Mould and yeast (aw less than or equal to 0.95) cfu/g	400	<100	<100	300	<100	c=2, m=100, M=1000	Acceptable	SRPS ISO 21527-2:2011

MDV - internal standard.

Results of tested parameters ARE the sample is IN COMPLIANCE with internal standard

Other analysis

IU-J-00002 Biopro 15 (Defatted moderately toasted soybean grits)

Parameter:	Appendix:	Institution:
Radioactivity	Examination report No. 2021/538; submitted 06/04/21	Veterinarski fakultet, Beograd

Head/Heads of Departments

Vladimir Atić, MSc, Graduate Engineer of Tehnology
Sensor analysis department

Kristina Lazarević, PhD, Specialist in Chemistry
Chemistry department

Marija M. Stojanović, PhD, Doctor of veterinary medicine
Microbiological department

Milica Jovetić, PhD, Specialist in Sanitary Chemistry
Instrumental Chemistry department



Head of laboratory

Milan Simić PhD, Hygiene Specialist

***** End of the Report *****