

TEST REPORT No.
58365052

INFORMATION ABOUT THE CLIENT	
Customer	BANKOM DOO BEOGRAD
Address	BULEVAR NIKOLE TESLE 30A 11080 ZEMUN
Authorized person/Contact	BANKOM DOO BEOGRAD
Number and date of the request	46 from 06.03.2023

INFORMATION ABOUT THE SAMPLES			
Sample name	58365052-01 BIOPRO 20L (LIGHT-LOW-FAT MODERATE TOASTED SOFT SOY FLOUR) LOT: 020323F2A6989, BEST BEFORE 02.03.2024.		
Importer	-		
Shipping	-		
Producer	-		
Supplier	-		
Means of transport	-	Storage conditions	Conditionally
Date and time of sampling	06.03.2023 12:00	Sampling committed by	CUSTOMER
Required testing	PARAMETERS ACCORDING TO THE CUSTOMER'S REQUEST		
Date of acquisition	06.03.2023	Date of the test report	14.03.2023
Declaration of Conformity	Requested		

Note:

Test results refer to test samples only.

The above data are taken from the test request accompanying the sample.

The Field Test Laboratory is responsible for all data reported in the Test Report except for data obtained from users.

Part of this Report is the report on the examination of the level of radioactive contamination INEP, Zemun, No. 766/2023, from March 9th, 2023.

TEST REPORT No.
58365052
Laboratory No.
58365052-01

Name of the sample: BIOPRO 20L (LIGHT-LOW-FAT MODERATE TOASTED SOY FLOUR) LOT:
020323F2A6989, BEST BEFORE 02.03.2024.

Declaration: Sample - BIOPRO 20L (LIGHT-LOW-FAT MODERATE TOASTED SOY FLOUR) LOT:
020323F2A6989, best before- 02.03.2024., in bulk packaging, with request attached.

*Sample description:

Analysis start date:	08.03.2023	Analysis completion date:	13.03.2023
-----------------------------	------------	----------------------------------	------------

RESULTS OF PHYSICAL AND CHEMICAL TESTING:
Table no. 1 Heavy metal content

Parameter	Unit	Result	Reference value	Testing technique	Method
Lead	mg/kg	<0,05	-	ICP-MS	DM-38
Cadmium	mg/kg	0,07±0,014	max 0,2	ICP-MS	DM-38
Arsenic	mg/kg	<0,05	-	ICP-MS	DM-38
Mercury	mg/kg	<0,05	-	ICP-MS	DM-38

Table no. 2 Pesticides quantified above LOQ values

Parameter	Unit	Result	Reference value	Testing technique	Method
Pesticides table 3	mg/kg	<0,010		LC-MS/MS	SRPS EN 15662:2018
Pesticides table 4	mg/kg	<0,010		GC-MS/MS	SRPS EN 15662:2018

RL – lower than the limit of quantification (LOQ), and higher than the limit of detection (LOD).

Table 3 - List of analyzed pesticides by LC-MS/MS technique at level <0.010 mg/kg (LOQ)

3-Hydroxy Carbofuran	Acephate	Acetamiprid
Aclonifen	Aldicarb	Aldicarb-sulfone
Aldicarb-sulfoxide	Allethrin	Ametoctradin
Amidosulfuron	Aminocarb	Atrazine
Atrazine-desethyl	Atrazine-desiesisopryl	Azamethiphos
Azoxystrobin	Benalaxyl	Bendiocarb
Benodanil	Benomyl	Bensulfuron-methyl
Benthiavalcicarb isopropyl	Benzoximate	Bifenazate
BTS 40348	BTS 44595	BTS 44596
Bupirimate	Butafenacil	Butoxycarboxim
Buturon	Carbaryl	Carbendazim
Carbetamide	Carbofuran	Carboxin
Carfentrazone-ethyl	Chlorantraniliprole	Chlorbromuron

Any reproduction, distribution, modification, use for other purposes and communication of data without the written permission of the Executive Director is prohibited.

TEST REPORT No.
58365052
Laboratory No.
58365052-01

Chlorfluazuron	Chloridazon	Chloroxuron
Chlorsulfuron	Chlortoluron	Climbazole
Clofentezin	Clothianidin	Cyanazine (Fortrol)
Cyantraniliprole	Cyazofamid	Cycluron
Cyflufenamid	Cymoxanil (Curzate)	DEET (Diethyltoluamide)
Demeton-S-methylsulfone	Demeton-S-methylsulfoxide	Diafenthion
Diclofluanid	Diethofencarb	Diflubenzuron
Dimefuron	Dimethoate	Dimethomorph
Dimoxystrobin	Dioxacarb	Disulfoton sulfone
Disulfoton-sulfoxide	Diuron	DMST
Dodin	Emamectin B1a	Emamectin B1b
Emamectin benzoate	Ethametsulfuron-methyl	Ethidimuron
Ethirimol	Etozazole	Fenamidone
Fenamiphos - sulfone	Fenamiphos - sulfoxide	Fenarimol
Fenazaquin	Fenhexamid	Fenobucarb
Fenoxycarb	Fenpropidin	Fenpyroximate
Fenthion	Fenthion sulfoxide	Fenthion-oxon
Fenthion-oxon-sulfoxide	Fenuron	Flonicamid
Florasulam	Fluazinam	Flubendiamide
Flufenoxuron	Fluometuron	Fluopicolid
Fluopyram	Fluoxastrobin	Flurochloridone
Fluroxypyr 1-methylheptyl ester	Flusilazol	Flutolanil
Flutriafol	Fluxapyroxad	Foramsulfuron
Forchlorfenuron	Formetanate	Fuberidazole
Halofenozide	Hexaflumuron	Hexazinone
Hexythiazox	Imazalil	Imazamethabenz-Methyl
Imazapyr	Imazaquin	Imibenconazole
Imidacloprid	Ipconazole	Iprovalicarb
Isoprocab	Isoproturon	Isopyrazam
Isoxaben	Isoxaflutole	Lenacil
Linuron	Lufenuron	Mandipropamid
Mepanipyrim	Mepronil	Metamitron
Metconazole	Methabenzthiazuron	Methamidophos
Methiocarb	Methiocarb-sulfon	Methiocarb-sulfoxid
Methomyl	Methoxyfenozide	Metobromuron
Metolacarb	Metosulam	Metoxuron
Molinate	Monocrotophos	Monolinuron
Neburon	Nicosulfuron	Nitenpyram
Novaluron	Nuarimol	Omethoate
Oryzalin	Oxadiargyl	Oxamyl

Any reproduction, distribution, modification, use for other purposes and communication of data without the written permission of the Executive Director is prohibited.

TEST REPORT No.
58365052
Laboratory No.
58365052-01

Oxydemeton-methyl	Paclobutrazol	Paraoxon
Paraoxon-methyl	Pencycuron	Penhiopyrad
Penthiopyrad	Pethoxamid	Phenmedipham
Phosmet (Imidan)	Phoxim	Pirimicarb
Pirimicarb, desmethyl	Prochloraz	Promecarb
Prometon	Propamocarb	Propazine
Propoxur	Propyzamide (Pronamide)	Proquinazid
Prosulfocarb	Prothioconazole	Prothioconazole-desthio
Pymetrozine	Pyracarbolid	Pyraclostrobin
Pyridafenthion	Pyridalyl	Pyridate
Pyrimethanil	Pyriproxyfen	Quinoclamine
Quintozen	Quizalofop-ethyl	Resmethrin
Rotenone	Secbumeton	Siduron
Simazine	Spinetoram	Spinosyn A
Spinosyn D	Spinosyn J	Spinosyn L
Spiromesifen	Spirotetramat	Spiroxamine
Sulfosulfuron	Sulfoxaflor	Tebufenozide
Tebutam	Tebuthiuron	Teflubenzuron
Temephos	Terbumeton	Terbutylazine
Terbutylazine-desethyl	Terbutryn	Thiabendazole
Thiacloprid	Thiamethoxam	Thidiazuron
Thiencarbazone-methyl	Thifensulfuron-methyl	Thiobencarb
Thiodicarb	Thiophanate	Thiophanate-methyl
Triasulfuron	Tribenuron-methyl	Trichlorfon
Tricyclazole	Trietazine	Trifloxystrobin
Triflumizol	Triflururon	Triflusaluron-methyl
Tritosulfuron	Valifenalate	Zoxamide

Table 4 - List of analyzed pesticides by GC-MS/MS technique at level <0.010 mg/kg (LOQ)

2-Phenylphenol	3,5-Dimethylpheny N-Methyl Carbamate	Acetochlor
Aclonifen	Acrinathrin	Alachlor
Aldrin	Ametryn	Anilofos
Atraton	Atrazine	Azaconazole
Azinphos-ethyl	Azinphos-methyl	Benfluralin
Benfuresate	Benoxacor	Benthiocarb
Benzoylprop-ethyl	BHC-alpha (benzene hexachloride)	BHC-beta
BHC-delta	BHC-gamma (Lindane)	Bifenox
Bifenthrin	Biphenyl	Bitertanol
Boscalid	Bromacil	Bromocyclen
Bromophos	Bromophos-ethyl	Bromopropylate

Any reproduction, distribution, modification, use for other purposes and communication of data without the written permission of the Executive Director is prohibited.

TEST REPORT No.
58365052
Laboratory No.
58365052-01

Bromoxynil octanoic acid ester	Bromuconazole	Buprofezin
Butachlor	Butafenacil	Butamifos
Butralin	Butylate	Cadusafos
Cafenstrole	Captan	Carbophenothion
Carboxin	Chlorbenside	Chlorbufam
Chlordane-cis	Chlordane-trans	Chlorethoxyfos
Chlorfenapyr	Chlorfenson	Chlorfenvinphos
Chlormephos	Chlorobenzilate	Chloroneb
Chloropropylate	Chlorothalonil	Chlorpropham
Chlorpyrifos	Chlorpyrifos-methyl	Chlorpyrifos-oxon
Chlorthion	Chlozolate	Clodinafop-propargyl
Clomazone	Cloquintocet-mexyl	Coumaphos
Crimidine	Cyanofenphos	Cyanophos
Cycloate	Cyfluthrin	Cyhalofop-butyl
Cyhalothrin (Lambda)	Cymiazole	Cypermethrin
Cyproconazole	Cyprodinil	Cyprofuram
DCPA (Dacthal, Chlorthal-dimethyl)	DDD-o,p'	DDD-p,p'
DDE-o,p'	DDE-p,p'	DDT-o,p'
DDT-p,p'	DEF	Deltamethrin
Demeton-S-methyl	Desmedipham	Desmetryn
Dialifos	Diallate I	Diallate II
Diazinon	Dichlofenthion	Dichloran
Dichlorobenzonitrile, 2,6-	Dichlorvos	Diclobutrazol
Diclofop-methyl	Dicofol (Dichlorobenzophenone)	Dieldrin
Difenconazole	Diflufenican	Dimefox
Dimepiperate	Dimethachlor	Dimethenamid
Diniconazole	Dinitramine	Diofenolan
Dioxathion	Diphenamid	Diphenylamine
Dipropetryn	Disulfoton	Ditalimfos
Edifenphos	Endosulfan ether	Endosulfan I (alpha isomer)
Endosulfan II (beta isomer)	Endosulfan sulfate	Endrin
EPN	Epoxiconazole	EPTC
Etaconazole	Ethalfuralin	Ethiofencarb
Ethion	Ethofenprox	Ethofumesate
Ethoprophos	Ethoxyquin	Ethylan
Etridiazole	Famoxadone	Famphur
Fenamiphos	Fenarimol	Fenbuconazole
Fenitrothion	Fenpropathrin	Fenpropimorph
Fenpyrazamine	Fenson	Fensulfothion
Fenthion sulfone	Fenvalerate I - Esfenvalerat	Fenvalerate II - Esfenvalerat

Any reproduction, distribution, modification, use for other purposes and communication of data without the written permission of the Executive Director is prohibited.

TEST REPORT No.
58365052
Laboratory No.
58365052-01

Fipronil	Fipronil sulfone	Fluazifop-p-butyl
Fluchloralin	Flucythrinate I	Flucythrinate II
Fludioxonil	Flufenacet	Flumetralin
Fluotrimazole	Fluquinconazole	Fluvalinate-tau
Folpet	Fonofos	Fosthiazate
Furalaxyl	Furathiocarb	Haloxypop-2-ethoxyethyl
Heptachlor	Heptachlor endo-epoxide	Heptachlor exo-epoxide
Heptenophos	Hexachlorobenzene	Hexaconazole
Indoxacarb	Iodofenphos	Iprobenfos
Iprodione	Isazofos	Isobenzan
Isocarbophos	Isodrin	Isofenphos
Isofenphos-methyl	Isopropalin	Isoprothiolane
Kresoxim methyl	Leptophos	Malathion
Mecarbam	Mefenpyr-diethyl	Metalaxyl
Metazachlor	Methacrifos	Methidathion
Methoxychlor, p,p'-	Metolachlor	Metrafenone
Metribuzin	Mevinphos, E-	Mirex
Myclobutanil	Naphthaleneacetamide, 1-	Napropamide
Nitralin	Nitrofen	Nitrothal-isopropyl
Oxadiazon	Oxadixyl	Oxyfluorfen
Parathion	Parathion-methyl	Pebulate
Penconazole	Pendimethalin	Pentachloroaniline
Pentachloroanisole	Pentachloronitrobenzene	Permethrin, cis
Permethrin, trans	Phenothrin I	Phenothrin II
Phenthoate	Phorate	Phorate sulfone
Phosalone	Phosphamidon I	Phosphamidon II
Picolinafen	Picoxystrobin	Piperonyl butoxide
Pirimifos-methyl	Pirimiphos-ethyl	Pretilachlor
Procymidone	Profenofos	Profluralin
Prometryn	Propachlor	Propanil
Propaquizafop	Propargite	Propetamphos
Propham	Propiconazole I	Propiconazole II
Propisochlor	Prosulfocarb	Prothiofos
Pyraflufen-ethyl	Pyrazophos	Pyributicarb
Pyridaben	Pyridaphenthion	Pyrifenox I
Pyrifenox II	Quinalphos	Quinoxifen
Ronnel	Silafluofen	Simeconazole
Simetryn	Spirodiclofen	Sulfallate
Sulfotep	Sulprofos	Swep
Tebuconazole	Tebufenpyrad	Tebupirimfos

Any reproduction, distribution, modification, use for other purposes and communication of data without the written permission of the Executive Director is prohibited.

TEST REPORT No.
58365052
Laboratory No.
58365052-01

Tefluthrin	Terbacil	Terbufos
Tetrachlorvinphos	Tetraconazole	Tetradifon
Tetramethrin I	Tetramethrin II	Tetrasul
Thionazin	THPI (cis-1,2,3,6-tetrahydroftalinid)	Tolclofos-methyl
Tolyfluanid	Transfluthrin	Triadimefon
Triadimenol	Triallate	Triazophos
Trichloronat	Triclosan	Trifluralin
Triticonazole	Vinclozolin	

Table no. 3 Mycotoxins content

Parameter	Unit	Result	Reference value	Testing technique	Method
Total aflatoxin	µg/kg	<1,0	max 4	LC-MS/MS	DM-55
Aflatoxin B1	µg/kg	<1,0	max 2	LC-MS/MS	DM-55
Ohratoxin A	µg/kg	<1,0	-	LC-MS/MS	DM-55

Table no. 4 Quality parameters

Parameter	Unit	Result	Reference value	Testing technique	Method
Crude protein content, calculated on dry matter (Nx6.25)	%	50.84 ± 4,66	min 45	Volumetry	DM-41
Water content	%	3.24 ± 0,34	max 8	Gravimetry	DM-77
Crude fat content, calculated on dry matter	%	7.30 ± 0,53	max 9	Gravimetry	DM-43
Crude cellulose content, calculated on dry matter	%	3.42 ± 0,34	max 3,5	Gravimetry	DM-49
Raw ash content, calculated on dry matter	%	6,35 ± 0,38	max 6,5	Gravimetry	DM-45

Any reproduction, distribution, modification, use for other purposes and communication of data without the written permission of the Executive Director is prohibited.

TEST REPORT No.**58365052****Laboratory No.****58365052-01****(*) – not within the scope of accreditation****Declaration of Conformity**

The results of the examined parameters are in COMPLIANCE with the requirements of Art. 6 of the Ordinance on the maximum residue levels of pesticides of plant protection products in food and feed ("Official Gazette of RS, No. 91/2022), the conditions of Art. 2, paragraph 1 of the Ordinance on maximum concentrations of certain contaminants in food ("Off. Gazette of RS", No. 81/2019, 126/2020, 90/2021 and 118/2021) and Art.25 Rulebook on the quality of protein products and mixtures of protein products for the food industry ("Official Gazette of the SFRY", No. 41/85 and "Official Gazette of SCG", No. 56/2003 - other regulations and 4/2004 - other regulations), applying the decision rule - "Rule of safe acceptance of test results (Eurolab, Technical Report No. 1, 2017)", with a probability of 95% (k = 2).

Date:

14.03.2023

**Head of the food testing laboratory**

Gorica Vukovic, BSc Chemistry

TEST REPORT No. 58365052

Laboratory No. 58365052-01/1

Name of the sample: BIOPRO 20L (LIGHT-LOW-FAT MODERATE TOASTED SOY FLOUR) LOT:
020323F2A6989, BEST BEFORE 02.03.2024.

Analysis start date:	08.03.2023	Analysis end date:	13.03.2023
----------------------	------------	--------------------	------------

Results of microbiological tests:

Table no. 1 GMO

Parameter	Unit	Result	Reference value	Test method designation
FMV		Absence		DM-22
P35S		Absence		DM 22
bar gen		Absence		DM 22
NOS terminator		Absence		DM 22

TEST REPORT No. 58365052

Laboratory No. 58365052-01/2

Name of the sample: BIOPRO 20L (LIGHT-LOW-FAT MODERATE TOASTED SOFT SOY FLOUR) LOT:
 020323F2A6989, BEST BEFORE 02.03.2024.

Analysis start date:	08.03.2023	Analysis end date:	13.03.2023
----------------------	------------	--------------------	------------

Results of microbiological tests:

Table no. 2 Microbiological parameters- I unit

Parameter	Unit	Result	Reference value	Test method designation
Total number of aerobic microorganisms at 30 ° C	cfu/g	660,0	10 ⁴ - 10 ⁵	SRPS EN ISO 4833-1:2014
Coliform bacteria	cfu/g	<10,0	max 10	SRPS EN ISO 4832:2014
Bacillus cereus	cfu/g	600,0	10 ² - 10 ³	SRPS EN ISO 7932:2009
Yeasts and molds	cfu/g	Molds 900	10 ² - 10 ³	SRPS ISO 21527-2:2011
Salmonella spp	cfu/25g	Absence	Absence	SRPS EN ISO 6579-1:2017; Except Annex D
Clostridium perfringens	cfu/g	<10,0	10,0 - 10 ²	SRPS EN ISO 7937:2010
Escherichia coli	cfu/g	<10,0	max 10	SRPS ISO 16649-2:2008
Listeria monocytogenes	cfu/25g	Absence	Absence	SRPS EN ISO 11290-1:2017
Enterobacteriaceae	cfu/g	<10,0	10,0 - 10 ²	SRPS EN ISO 21528-2:2017

Any reproduction, distribution, modification, use for other purposes and communication of data without the written permission of the Executive Director is prohibited.

TEST REPORT No.
58365052
Laboratory No.
58365052-01/3

Name of the sample: BIOPRO 20L (LIGHT-LOW-FAT MODERATE TOASTED SOFT SOY FLOUR) LOT:
 020323F2A6989, BEST BEFORE 02.03.2024.

Analysis start date:

08.03.2023

Analysis end date:

13.03.2023

Results of microbiological tests:
Table no. 3 Microbiological parameters- II unit

Parameter	Unit	Result	Reference value	Test method designation
Total number of aerobic microorganisms at 30 ° C	cfu/g	70	10 ⁴ - 10 ⁵	SRPS EN ISO 4833-1:2014
Bacillus cereus	cfu/g	200	10 ² - 10 ³	SRPS EN ISO 7932:2008*
Yeasts and molds	cfu/g	< 100	10 ² - 10 ³	SRPS ISO 21527-2:2011
Salmonella spp	cfu/25g	Absence	Absence	SRPS EN ISO 6579-1:2017; Except Annex D
Escherichia coli	cfu/g	< 10	max 10	SRPS ISO 16649-2:2008
Listeria monocytogenes	cfu/25g	Absence	Absence	SRPS EN ISO 11290-1:2017
Enterobacteriaceae	cfu/g	< 10	10,0 - 10 ²	SRPS EN ISO 21528-2:2017
Clostridium perfringens	cfu/g	< 10	10,0 - 10 ²	SRPS EN ISO 7937:2010
Coliform bacteria	cfu/g	< 10	max 10	SRPS EN ISO 4832:2014

Any reproduction, distribution, modification, use for other purposes and communication of data without the written permission of the Executive Director is prohibited.

TEST REPORT No.
58365052
Laboratory No.
58365052-01/4

Name of the sample: BIOPRO 20L (LIGHT-LOW-FAT MODERATE TOASTED SOY FLOUR) LOT:
 020323F2A6989, BEST BEFORE 02.03.2024.

Analysis start date:

08.03.2023

Analysis end date:

13.03.2023

Results of microbiological tests:
Table no. 4 Microbiological parameters- III unit

Parameter	Unit	Result	Reference value	Test method designation
Total number of aerobic microorganisms at 30 ° C	cfu/g	460	10 ⁴ - 10 ⁵	SRPS EN ISO 4833-1:2014
Coliform bacteria	cfu/g	<10	max 10	SRPS EN ISO 4832:2014
Bacillus cereus	cfu/g	< 100	10 ² - 10 ³	SRPS EN ISO 7932:2008*
Yeasts and molds	cfu/g	< 100	10 ² - 10 ³	SRPS ISO 21527-2:2011
Salmonella spp	cfu/25g	Absence	Absence	SRPS EN ISO 6579-1:2017; Except Annex D
Escherichia coli	cfu/g	< 10	max 10	SRPS ISO 16649-2:2008
Listeria monocytogenes	cfu/25g	Absence	Absence	SRPS EN ISO 11290-1:2017
Enterobacteriaceae	cfu/g	< 10	10,0 - 10 ²	SRPS EN ISO 21528-2:2017
Clostridium perfringens	cfu/g	< 10	10,0 - 10 ²	SRPS EN ISO 7937:2010

Any reproduction, distribution, modification, use for other purposes and communication of data without the written permission of the Executive Director is prohibited.

TEST REPORT No.
58365052
Laboratory No.
58365052-01/5

Name of the sample: BIOPRO 20L (LIGHT-LOW-FAT MODERATE TOASTED SOY FLOUR) LOT:
 020323F2A6989, BEST BEFORE 02.03.2024.

Analysis start date:

08.03.2023

Analysis end date:

13.03.2023

Results of microbiological tests:
Table no. 5 Microbiological parameters- IV unit

Parameter	Unit	Result	Reference value	Test method designation
Total number of aerobic microorganisms at 30 ° C	cfu/g	350	$10^4 - 10^5$	SRPS EN ISO 4833-1:2014
Coliform bacteria	cfu/g	< 10	max 10	SRPS EN ISO 4832:2014
Bacillus cereus	cfu/g	300	$10^2 - 10^3$	SRPS EN ISO 7932:2008*
Yeasts and molds	cfu/g	<100,0	$10^2 - 10^3$	SRPS ISO 21527-2:2011
Salmonella spp	cfu/25g	Absence	Absence	SRPS EN ISO 6579-1:2017; Except Annex D
Clostridium perfringens	cfu/g	< 10	$10,0 - 10^2$	SRPS EN ISO 7937:2010
Escherichia coli	cfu/g	< 10	max 10	SRPS ISO 16649-2:2008
Listeria monocytogenes	cfu/25g	Absence	Absence	SRPS EN ISO 11290-1:2017
Enterobacteriaceae	cfu/g	< 10	$10,0 - 10^2$	SRPS EN ISO 21528-2:2017

Any reproduction, distribution, modification, use for other purposes and communication of data without the written permission of the Executive Director is prohibited.

TEST REPORT No.
58365052
Laboratory No.
58365052-01/6

Name of the sample: BIOPRO 20L (LIGHT-LOW-FAT MODERATE TOASTED SOFT SOY FLOUR) LOT:
 020323F2A6989, BEST BEFORE 02.03.2024.

Analysis start date:

08.03.2023

Analysis end date:

13.03.2023

Results of microbiological tests:
Table no. 6 Microbiological parameters- V unit


Parameter	Unit	Result	Reference value	Test method designation
Total number of aerobic microorganisms at 30 ° C	cfu/g	370	10 ⁴ - 10 ⁵	SRPS EN ISO 4833-1:2014
Coliform bacteria	cfu/g	< 10	max 10	SRPS EN ISO 4832:2014
Bacillus cereus	cfu/g	< 100	10 ² - 10 ³	SRPS EN ISO 7932:2008*
Yeasts and molds	cfu/g	< 100	10 ² - 10 ³	SRPS ISO 21527-2:2011
Salmonella spp	cfu/25g	Absence	Absence	SRPS EN ISO 6579-1:2017; Except Annex D
Clostridium perfringens	cfu/g	< 10	10,0 - 10 ²	SRPS EN ISO 7937:2010
Escherichia coli	cfu/g	< 10	max 10	SRPS ISO 16649-2:2008
Listeria monocytogenes	cfu/25g	Absence	Absence	SRPS EN ISO 11290-1:2017
Enterobacteriaceae	cfu/g	< 10	10,0 - 10 ²	SRPS EN ISO 21528-2:2017

The test results refer only to the test sample.

All five examined units are in accordance with the safety criterion of Art. 25 of the Law on Food Safety ("Official Gazette of RS", no. 41/2009 and 17/2019) and the requirements of the attached specification, excluding the test parameter Bacillus cereus, for which a number between m and M was found in THREE tested units

Date:

14.03.2023


Head of microbiological laboratory


mr Ivana Jurišić, master biologist

* END OF REPORT *

Any reproduction, distribution, modification, use for other purposes and communication of data without the written permission of the Executive Director is prohibited.